

University of Groningen

Exploring chaotic time series and phase spaces

de Carvalho Pagliosa, Lucas

DOI:
[10.33612/diss.117450127](https://doi.org/10.33612/diss.117450127)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
de Carvalho Pagliosa, L. (2020). *Exploring chaotic time series and phase spaces: from dynamical systems to visual analytics*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.
<https://doi.org/10.33612/diss.117450127>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

BIBLIOGRAPHY

- H. D. I. Abarbanel, R. Brown, J. J. Sidorowich, and L. S. Tsimring. The analysis of observed chaotic data in physical systems. *Reviews of Modern Physics*, 65:1331–1392, 1993.
- R. Agarwal. *Dynamical Systems and Applications*, volume 4 of *World Scientific series in applicable analysis*. World Scientific, Singapore, Malaysia, 1995.
- T. Al-Khateeb, M. M. Masud, L. Khan, C. Aggarwal, J. Han, and B. Thuraisingham. Stream classification with recurring and novel class detection using class-based ensemble. In *Proceedings of the 12th International Conference on Data Mining*, pages 31–40, Brussels, Belgium, 2012. IEEE Press.
- A. M. Albano, L. Smilowitz, P. E. Rapp, G. C. de Guzman, and T. R. Bashore. *Dimension calculations in a minimal embedding space: Low-dimensional attractors for human electroencephalograms*. Springer, Berlin-Heidelberg, Germany, 1987.
- A. M. Albano, J. Muench, C. Schwartz, A. I. Mees, and P. E. Rapp. Singular-value decomposition and the Grassberger-Procaccia algorithm. *Physical Review A*, 38:3017–3026, 1988.
- A. Albano, A. Passamante, and M. E. Farrell. Using higher-order correlations to define an embedding window. *Physica D: Non-linear Phenomena*, 54(1):85–97, 1991.
- K. T. Alligood, T. Sauer, and J. A. Yorke. *Chaos : an introduction to dynamical systems*. Textbooks in mathematical sciences. Springer, New York, United States, 1996.
- D. F. Andrews and A. M. Herzberg. *Data: a collection of problems from many fields for the student and research worker*. Springer-Verlag, New York, NY, 1985.
- B. R. Andrievskii and A. L. Fradkov. Control of Chaos: Methods and Applications. I. Method. *Automation and Remote Control*, 64(5):673–713, 2003.
- A. M. Angel, G. J. Bartolo, and M. Ernestina. Predicting recurring concepts on data-streams by means of a meta-model and a fuzzy similarity function. *Expert Systems with Applications*, 46:87–105, 2016.

- M. Ankerst, S. Berchtold, and D. Keim. Similarity clustering of dimensions for an enhanced visualization of multidimensional data. In *Proceedings of Information Visualization*, pages 52–60, Los Alamitos, United States, 1998. IEEE Press.
- F. J. Anscombe. Graphs in Statistical Analysis. *The American Statistician*, 27(1):17–21, 1973.
- F. D. N. Antonio. tseriesChaos: Analysis of nonlinear time series, 2013. URL [CRAN.R-project.org/package=tseriesChaos](https://cran.r-project.org/package=tseriesChaos). Last access on 2019-11-05.
- M. Baena-García, J. del Campo-Ávila, R. Fidalgo, A. Bifet, R. Gavaldá, and R. Morales-Bueno. Early drift detection method. pages 77–86, 2006.
- S. Baluja. Probabilistic Modeling for Face Orientation Discrimination: Learning from Labeled and Unlabeled Data. In *Proceedings of the Conference on Advances in Neural Information Processing Systems*, pages 854–860, Denver, United States, 1999. MIT Press.
- D. Bates and D. Watts. *Nonlinear regression analysis and its applications*. Wiley, New York, United States, 1988.
- J. Benesty, J. Chen, Y. Huang, and I. Cohen. *Pearson Correlation Coefficient*. Springer, Berlin-Heidelberg, Germany, 2009.
- K. P. Bennett and A. Demiriz. Semi-supervised support vector machines. In *Advances in Neural Information Processing Systems*, pages 368–374, Cambridge, United States, 1998. MIT Press.
- J. S. Bergstra, R. Bardenet, Y. Bengio, and B. Kégl. Algorithms for hyper-parameter optimization. In *Advances in Neural Information Processing Systems 24*, pages 2546–2554. Curran Associates, Granada, Spain, 2011.
- D. J. Berndt and J. Clifford. Using Dynamic Time Warping to Find Patterns in Time Series. In *Proceedings of the 3rd International Conference on Knowledge Discovery and Data Mining*, pages 359–370, Seattle, United States, 1994. AAAI Press.
- E. Bertini, L. Dell’Aquila, and G. Santucci. SpringView: Cooperation of radviz and parallel coordinates for view optimization and clutter reduction. In *Proceedings of the Coordinated and Multiple Views in Exploratory Visualization*, Washington, United States, 2005. IEEE Press.
- S. Bhardwaj, S. Srivastava, S. Vaishnavi, and J. R. P. Gupta. Chaotic time series prediction using combination of Hidden

- Markov Model and Neural Nets. In *International Conference on Computer Information Systems and Industrial Management Applications*, pages 585–589, Krakow, Poland, 2010. IEEE Press.
- A. Bifet, G. Holmes, B. Pfahringer, R. Kirkby, and R. Gavaldà. New Ensemble Methods for Evolving Data Streams. In *Proceedings of the 15th International Conference on Knowledge Discovery and Data Mining*, pages 139–148, Paris, France, 2009. ACM Press.
- A. Bifet, G. Holmes, and B. Pfahringer. Leveraging Bagging for Evolving Data Streams. In *Machine Learning and Knowledge Discovery in Databases, European Conference*, pages 135–150, Berlin-Heidelberg, Germany, 2010. Springer.
- C. M. Bishop. *Pattern recognition and machine learning*. Springer-Verlag, New York, United States, 2006.
- A. Björck. *Numerical methods for least squares problems*. Society for Industrial and Applied Mathematics, Philadelphia, United States, 1996.
- A. Blum and S. Chawla. Learning from Labeled and Unlabeled Data Using Graph Mincuts. In *Proceedings of the 11th International Conference on Machine Learning*, pages 19–26, San Francisco, United States, 2001. Morgan Kaufmann Publishers.
- A. Blum and T. Mitchell. Combining Labeled and Unlabeled Data with Co-training. In *Proceedings of the 11th Annual Conference on Computational Learning Theory*, pages 92–100, New York, United States, 1998. ACM Press.
- S. Boccaletti and J. Bragard. *Handbook of Chaos Control*. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany, 2008.
- B. Bollobás, A. M. Frieze, and T. I. Fenner. An Algorithm for Finding Hamilton Paths and Cycles in Random Graphs. *Combinatorica*, 7(4):327–341, 1987.
- M. Bostock, V. Ogievetsky, and J. Heer. D3: Data-Driven Documents. *Transactions on Visualization & Computer Graphics*, 2011.
- G. E. P. Box and G. M. Jenkins. *Time Series Analysis: Forecasting and Control*. Wiley, Hoboken, United States, 5rd edition, 2015.
- S. Boyd and L. Vandenberghe. *Convex Optimization*. Cambridge University Press, Cambridge, United Kingdom, 2004.
- R. Bracewell. *The fourier transform and its applications*. McGraw-Hill Kogakusha, Boston, United States, 2nd edition, 1978.

- J. L. Breedon and N. H. Packard. Nonlinear Analysis of Data Sampled Nonuniformly in Time. *Physics D*, 58(1-4):273–283, 1992.
- W. Brock, D. Hsieh, and B. LeBaron. *Nonlinear dynamics, chaos, and instability*. MIT Press, Cambridge, United States, 1992.
- B. Broeksema, T. Baudel, and A. Telea. Decision Exploration Lab: A Visual Analytics Solution for Decision Management. *Computer Graphics Forum*, 32(8):158–169, 2013.
- D. S. Broomhead and G. P. King. Extracting Qualitative Dynamics from Experimental Data. *Physics D*, 20(2-3):217–236, 1986.
- J. Brosz, M. A. Nacenta, R. Pusch, S. Carpendale, and C. Hurter. Transmogrification: casual manipulation of visualizations. In *Proceedings of the Symposium on User Interface Software and Technology*, pages 97–106, St. Andrews, Scotland, 2013. ACM Press.
- M. D. Buhmann and M. D. Buhmann. *Radial Basis Functions*. Cambridge University Press, Cambridge, United States, 2003.
- J. C. Butcher. A History of Runge-Kutta Methods. *Applied Numerical Mathematics*, 20(3):247–260, 1996.
- T. Buzug and G. Pfister. Optimal delay time and embedding dimension for delay-time coordinates by analysis of the global static and local dynamical behavior of strange attractors. *Physical Review A*, 45:7073–7084, 1992a.
- T. Buzug and G. Pfister. Comparison of algorithms calculating optimal embedding parameters for delay time coordinates. *Physica D: Nonlinear Phenomena*, 58(1):127–137, 1992b.
- W. D. Cai, Y. Q. Qin, and B. R. Yang. Determination of phase-space reconstruction parameters of chaotic time series. *Kybernetika*, 44(4):557–570, 2008.
- C. Canuto and A. Tabacco. *Taylor expansions and applications*. Springer, Milan, Italy, 2008.
- L. Cao, A. Mees, and K. Judd. Dynamics from multivariate time series. *Physica D: Nonlinear Phenomena*, 121(1):75–88, 1998.
- G. Carlsson and F. Mémoli. Classifying clustering schemes. *Foundations of Computational Mathematics*, 13(2):221–252, 2013.
- K. Chakraborty, K. Mehrotra, C. K. Mohan, and S. Ranka. Forecasting the behavior of multivariate time series using neural networks. *Neural Networks*, 5(6):961–970, 1992.

- D. Chang, K. V. Nesbitt, and K. Wilkins. The Gestalt Principles of Similarity and Proximity Apply to Both the Haptic and Visual Grouping of Elements. In *Proceedings of the 8th Australasian Conference on User Interface-Volume 64*, Ballarat, Australia, 2007. Australian Computer Society.
- O. Chapelle and A. Zien. Semi-Supervised Classification by Low Density Separation. 2005.
- O. Chapelle, B. Schölkopf, and A. Zien. *Semi-Supervised Learning*. The MIT Press, Cambridge, United States, 2010.
- L. Chen. *Curse of Dimensionality*. Springer, New York, United States, 2009.
- Y. Chen, B. Hu, E. J. Keogh, and G. Batista. DTW-D: Time Series Semi-supervised Learning from a Single Example. In *Proceedings of the 19th International Conference on Knowledge Discovery and Data Mining*, pages 383–391, Chicago, United States, 2013. ACM Press.
- Y. Chen, E. Keogh, B. Hu, N. Begum, A. Bagnall, A. Mueen, and G. Batista. The UCR Time Series Classification Archive, 2015. URL cs.ucr.edu/~eamonn/time_series_data/. Last access on 2019-11-05.
- Z. Y. Chen, B. H. Yao, and M. N. Guo. Algorithm Robustness Analysis for the Choice of Optimal Time Delay of Phase Space Reconstruction Based on Singular Entropy Method. *MATEC Web of Conferences*, 63, 2016.
- S. Cheng, W. Xu, and K. Mueller. RadViz Deluxe: An Attribute-Aware Display for Multivariate Data. *Processes*, 5(4):75, 2017.
- S. P. Clark. Estimating the fractal dimension of chaotic time series. *Lincoln Laboratory Journal*, 3(1), 1990.
- D. Coimbra, R. Martins, T. Neves, A. Telea, and F. Paulovich. Explaining three-dimensional dimensionality reduction plots. *Information Visualization*, 15(2):154–172, 2016.
- F. G. da Costa, R. A. Rios, and R. F. de Mello. Using dynamical systems tools to detect concept drift in data streams. *Expert Systems with Applications*, 60:39–50, 2016.
- F. G. da Costa, F. S. L. G. Duarte, R. M. M. Vallim, and R. F. de Mello. Multidimensional surrogate stability to detect data stream concept drift. *Expert Systems with Applications*, 87:15–29, 2017.

- A. Daneshpazhouh and A. Sami. Entropy-based outlier detection using semi-supervised approach with few positive examples. *Pattern Recognition Letters*, 49:77–84, 2014. ISSN 0167-8655.
- W. H. Delashmit and M. T. Manry. Recent Developments in Multilayer Perceptron Neural Networks. 2005.
- L. Di Caro, V. Frias-Martinez, and E. Frias-Martinez. Analyzing the Role of Dimension Arrangement for Data Visualization in Radviz. In *Proceedings of the Pacific Asia Knowledge Discovery and Data Mining*, pages 125–132, Hyderabad, India, 2010. Springer-Velag.
- F. Diacu. Poincaré and the three-body problem. *Historia Mathematica*, 26(2):175–178, 1999.
- M. Ding, C. Grebogi, E. Ott, T. Sauer, and J. A. Yorke. Estimating correlation dimension from a chaotic time series: when does plateau onset occur? *Physica D: Nonlinear Phenomena*, 69(3):404–424, 1993.
- D. Dua and E. Karra Taniskidou. UCI Machine Learning Repository, 2019. URL archive.ics.uci.edu/ml. Last access on 2019-11-05.
- J. C. Dunn. Well-Separated Clusters and Optimal Fuzzy Partitions. *Journal of Cybernetics*, 4(1):95–104, 1974.
- A. Einstein. *Investigations on the Theory of the Brownian Movement*. Dover Books on Physics Series. Dover Publications, New York, United States, 1956.
- M. Ester, H. Kriegel, J. S, and X. Xu. A density-based algorithm for discovering clusters in large spatial databases with noise. In *Proceedings of the International Conference on Knowledge Discovery and Data Mining*, pages 226–231, Portland, United States, 1996. AAAI Press.
- E. R. Faria, J. Gama, and A. C. P. L. F. Carvalho. Novelty detection algorithm for data streams multi-class problems. In *Proceedings of the 28th Annual Symposium on Applied Computing*, pages 795–800, Coimbra, Portugal, 2013. ACM Press.
- J. D. Farmer and J. J. Sidorowich. Predicting chaotic time series. *Physical Review Letters*, 59:845–848, 1987.
- M. Farzad, H. Tahersima, and H. Khaloozadeh. Predicting the Mackey Glass Chaotic Time Series Using Genetic Algorithm. In *2006 SICE-ICASE International Joint Conference*, pages 5460–5463, Busan, South Korea, 2006. IEEE Press.

- P. R. A. Firmino, P. S. de Mattos Neto, and T. A. Ferreira. Correcting and combining time series forecasters. *Neural Networks*, 50: 1–11, 2014.
- F. Forstnerič. Embeddings, Immersions and Submersions. In *Stein Manifolds and Holomorphic Mappings*, volume 56 of *Ergebnisse der Mathematik und ihrer Grenzgebiete. 3. Folge / A Series of Modern Surveys in Mathematics*, pages 333–400. Springer, Berlin-Heidelberg, Germany, 2011.
- A. M. Fraser and H. L. Swinney. Independent coordinates for strange attractors from mutual information. *Physical Review A*, 33(2):1134–1140, 1986.
- J. Gama, P. Medas, G. Castillo, and P. Rodrigues. Learning with Drift Detection. In *Advances in Artificial Intelligence-17th Brazilian Symposium on Artificial Intelligence*, pages 286–295, Berlin-Heidelberg, Germany, 2004a. Springer.
- J. Gama, P. Medas, and R. Rocha. Forest Trees for On-line Data. In *Proceedings of the Symposium on Applied Computing*, pages 632–636, Nicosia, Cyprus, 2004b. ACM Press.
- J. Gama, I. Žliobaitė, A. Bifet, M. Pechenizkiy, and A. Bouchachia. A survey on concept drift adaptation. *Computing Surveys*, 46(4), 2014.
- C. A. Garcia and G. Sawitzki. nonlinearTseries: Nonlinear Time Series Analysis, 2015. URL CRAN.R-project.org/package=nonlinearTseries. Last access on 2019-11-05.
- T. Gautama, D. P. Mandic, and M. M. V. Hulle. A differential entropy based method for determining the optimal embedding parameters of a signal. In *International Conference on Acoustics, Speech, and Signal Processing*, pages 29–32, Hong Kong, China, 2003. IEEE Press.
- S. Geman, E. Bienenstock, and R. Doursat. Neural networks and the bias/variance dilemma. *Neural Computation*, 4(1):1–58, 1992.
- M. Ghomi and R. E. Greene. Relative isometric embeddings of Riemannian manifolds. *Transactions of the American Mathematical Society*, 363(1):63–73, 2011.
- J. C. Gower and D. J. Hand. *Biplots*. CRC Press, Boca Raton, United States, 1995.
- J. C. Gower, S. Lubbe, and N. Roux. *Understanding biplots*. Wiley, Chichester, United States, 2011.

- P. B. Graben. Estimating and improving the signal-to-noise ratio of time series by symbolic dynamics. *Physical Review E-Statistical, Nonlinear, Biological, and Soft Matter Physics*, 64, 2001.
- P. Grassberger and I. Procaccia. Measuring the strangeness of strange attractors. *Physica D*, 9:189–208, 1983.
- M. Greenacre. *Biplots in practice*. Fundación BBVA, Bilbao, Spain, 2010.
- N. Grira, M. Crucianu, and N. Boujemaa. Unsupervised and Semi-supervised Clustering: a Brief Survey. In *A Review of Machine Learning Techniques for Processing Multimedia Content*, Santa Clara, United States, 2004. Springer-Verlag.
- D. Hammer, A. Romashchenko, A. Shen, and N. Vereshchagin. Inequalities for Shannon Entropy and Kolmogorov Complexity. *Journal of Computer and System Sciences*, 60(2):442–464, 2000.
- L. Han, F. Escolano, E. R. Hancock, and R. C. Wilson. Graph characterizations from von Neumann entropy. *Pattern Recognition Letters*, 33(15):1958–1967, 2012.
- M. Han and X. Wang. Robust neural predictor for noisy chaotic time series prediction. *The 2013 International Joint Conference on Neural Networks*, pages 1–5, 2013.
- S. Haykin. *Neural Networks and Learning Machines*, volume 10 of *Neural networks and learning machines*. Prentice Hall, New York, United States, 2009.
- R. Hegger, H. Kantz, and T. Schreiber. Practical implementation of nonlinear time series methods: The TISEAN package. *Chaos*, 9, 1999.
- D. L. Hitzl. Numerical determination of the capture/escape boundary for the Hénon attractor. *Physica D: Nonlinear Phenomena*, 2(2):370–378, 1981.
- V. Hodge and J. Austin. A Survey of Outlier Detection Methodologies. *Artificial Intelligence Review*, 22(2):85–126, 2004.
- P. Hoffman, G. Grinstein, K. Marx, I. Grosse, and E. Stanley. DNA visual and analytic data mining. In *Proceedings of Visualization*, pages 437–441, Los Alamitos, United States, 1997. IEEE Press.
- D. Holten. Hierarchical Edge Bundles: Visualization of Adjacency Relations in Hierarchical Data. *Transactions on Visualization and Computer Graphics*, 12(5):741–748, 2006.

- H. Hoogendorp, O. Ersoy, D. Reniers, and A. Telea. Extraction and Visualization of Call Dependencies for Large C/C++ Code Bases: A Comparative Study. pages 121–130, 2009.
- G. Hulten, L. Spencer, and P. Domingos. Mining Time-changing Data Streams. In *Proceedings of the 7th International Conference on Knowledge Discovery and Data Mining*, pages 97–106, San Francisco, United States, 2001. ACM Press.
- C. Hurter. *Image-Based Visualization: Interactive Multidimensional Data Exploration*. Morgan-Claypool Publishers, San Rafael, United States, 2015.
- C. Hurter, A. Telea, and O. Ersoy. MoleView: An Attribute and Structure-Based Semantic Lens for Large Element-Based Plots. *Transactions on Visualization and Computer Graphics*, 17(12): 2600–2609, 2011.
- C. Hurter, S. Carpendale, and A. Telea. Color Tunneling: Interactive Exploration and Selection in Volumetric Datasets. In *Proceedings of the Pacific Visualization Symposium*, Yokohama, Japan, 2014. IEEE Press.
- K. Ikeda. Multiple-valued stationary state and its instability of the transmitted light by a ring cavity system. *Optics Communications*, pages 257–261, 1979.
- N. Indurkha and F. J. Damerau. *Handbook of Natural Language Processing*. Chapman & Hall/CRC, Boca Raton, United States, 2nd edition, 2010.
- A. Inselberg. *Parallel Coordinates: Visual Multidimensional Geometry and Its Applications*. Springer-Verlag, Dordrecht, The Netherlands, 2009.
- R. P. Ishii, R. A. Rios, and R. F. Mello. Classification of Time Series Generation Processes Using Experimental Tools: A Survey and Proposal of an Automatic and Systematic Approach. *International Journal of Computer Science Engineering and Technology*, 6(4):217–237, 2011.
- M. Ishikawa. Structural Learning with Forgetting. *Neural Networks*, 9(3):509–521, 1996.
- J. H. M. Janssens, I. Flesch, and E. O. Postma. Outlier Detection with One-Class Classifiers from ML and KDD. In *Proceedings of the International Conference on Machine Learning and Applications*, pages 147–153, Miami Beach, United States, 2009. Computer Society.

- J. Jedrzejowicz and P. Jedrzejowicz. Distance-Based Ensemble On-line Classifier with Kernel Clustering. In *Proceedings of the 7th KES International Conference on Intelligent Decision Technologies*, pages 279–289, Cham, Switzerland, 2015. Springer International Publishing.
- P. Joia, D. Coimbra, J. A. Cuminato, F. V. Paulovich, and L. G. Nonato. Local Affine Multidimensional Projection. *Transactions on Visualization & Computer Graphics*, 17(12):2563–2571, 2011.
- I. Jolliffe. *Principal Component Analysis*. Springer-Verlag, 1986.
- E. Kandogan. Star Coordinates: A Multi-dimensional Visualization Technique with Uniform Treatment of Dimensions. pages 9–12, 2000.
- H. Kantz and T. Schreiber. *Nonlinear Time Series Analysis*. Cambridge nonlinear science series. Cambridge University Press, Cambridge, United Kingdom, 2004.
- H. Kantz. A robust method to estimate the maximal Lyapunov exponent of a time series. *Physics Letters A*, 185(1):77–87, 1994.
- J. L. Kaplan and J. A. Yorke. *Chaotic behavior of multidimensional difference equations*. Springer, Berlin-Heidelberg, Germany, 1979.
- D. S. Karunasinghe and S. Y. Liong. Chaotic time series prediction with a global model: Artificial neural network. *Journal of Hydrology*, 323(1-4):92–105, 2006.
- G. Kember and A. Fowler. A correlation function for choosing time delays in phase portrait reconstructions. *Physics Letters A*, 179(2):72–80, 1993.
- M. B. Kennel, R. Brown, and H. D. I. Abarbanel. Determining embedding dimension for phase-space reconstruction using a geometrical construction. *Physical Review A*, 45:3403–3411, 1992.
- H. Kim, R. Eykholt, and J. Salas. Nonlinear dynamics, delay times, and embedding windows. *Physica D: Nonlinear Phenomena*, 127(1-2):48–60, 1999.
- G. P. King, R. Jones, and D. Broomhead. Phase portraits from a time series: A singular system approach. *Nuclear Physics B-Proceedings Supplements*, 2:379–390, 1987.
- R. Klinkenberg and T. Joachims. Detecting Concept Drift with Support Vector Machines. In *Proc. Seventeenth International Conference on Machine Learning*, pages 487–494, San Francisco, United States, 2000. Morgan Kaufmann Publishers.

- H. J. Korsch, H. J. Jodl, and T. Hartmann. *The Duffing Oscillator*. Springer, Berlin-Heidelberg, Germany, 2008.
- B. Krawczyk and M. Woźniak. One-class classifiers with incremental learning and forgetting for data streams with concept drift. *Soft Computing*, 19(12):3387–3400, 2015.
- J. Kruiger, A. Hassoumi, H. J. Schulz, A. C. Telea, and C. Hurter. Multidimensional Data Exploration by Explicitly Controlled Animation. *Informatics*, 4(3), 2017.
- J. B. Kruskal and J. M. Landwehr. Icicle Plots: Better Displays for Hierarchical Clustering. *The American Statistician*, 37(2): 162–168, 1983.
- D. Landau and K. Binder. *A guide to monte carlo simulations in statistical physics*. Cambridge University Press, Cambridge New York, 2005.
- R. S. Laramée, H. Hauser, H. Doleisch, B. Vrolijk, F. H. Post, and D. Weiskopf. The State of the Art in Flow Visualization: Dense and Texture-Based Techniques. *Computer Graphics Forum*, 23(2):203–221, 2004.
- S. M. LaValle. *Planning Algorithms*. Cambridge University Press, Cambridge, New York, 2006.
- J. M. Lee. *Introduction to smooth manifolds*. Graduate texts in mathematics. Springer, New York/Berlin-Heidelberg, United States/Germany, 2003.
- M. Li and Z. H. Zhou. *SETRED: Self-training with Editing*. Springer, Berlin-Heidelberg, Germany, 2005.
- W. Liebert and H. Schuster. Proper choice of the time delay for the analysis of chaotic time series. *Physics Letters A*, 142(2): 107–111, 1989.
- W. Liebert, K. Pawelzik, and H. G. Schuster. Optimal Embeddings of Chaotic Attractors from Topological Considerations. *EPL (Europhysics Letters)*, 14(6), 1991.
- H. R. Loo and M. N. Marsono. Online Data Stream Classification with Incremental Semi-supervised Learning. In *Proceedings of the 2nd Conference on Data Sciences*, pages 132–133, New York, United States, 2015. ACM Press.
- U. V. Luxburg and B. Schölkopf. Statistical learning theory: models, concepts, and results. In *Inductive Logic*, volume 10 of *Handbook of the History of Logic*, pages 651–706, Amsterdam, The Netherlands, 2011. Elsevier.

- H. G. Ma and C. z. Han. Selection of Embedding Dimension and Delay Time in Phase Space Reconstruction. *Frontiers of Electrical and Electronic Engineering in China*, 1(1):111–114, 2006.
- L. van der Maaten and G. Hinton. Visualizing Data using t-SNE. *Journal of Machine Learning Research*, 9:2579–2605, 2008.
- Y. Manabe and B. Chakraborty. A novel approach for estimation of optimal embedding parameters of nonlinear time series by structural learning of neural network. *Neurocomputing*, 70(7-9):1360–1371, 2007.
- B. B. Mandelbrot. *The Fractal Geometry of Nature*. W. H. Freeman and Company, San Francisco, United States, 1977.
- J. M. Martinerie, A. M. Albano, A. I. Mees, and P. E. Rapp. Mutual information, strange attractors, and the optimal estimation of dimension. *Physical Review A*, 45:7058–7064, 1992.
- R. M. Martins, D. B. Coimbra, R. Minghim, and A. Telea. Visual analysis of dimensionality reduction quality for parameterized projections. *Computers & Graphics*, 41:26–42, 2014.
- K. Marussy and K. Buza. *SUCCESS: A New Approach for Semi-supervised Classification of Time-Series*. Springer, Berlin-Heidelberg, Germany, 2013.
- N. Marwan and C. L. Webber. *Mathematical and Computational Foundations of Recurrence Quantifications*. Springer International Publishing, Cham, Switzerland, 2015.
- N. Marwan, M. C. Romano, M. Thiel, and J. Kurths. Recurrence plots for the analysis of complex systems. *Physics Reports*, 438(5-6):237–329, 2007.
- J. McClave. *Statistics*. Pearson, Prentice Hall, Upper Saddle River, United States, 2006.
- R. McGill, J. W. Tukey, and W. A. Larsen. Variations of Box Plots. *The American Statistician*, 32(1):12–16, 1978.
- T. McLoughlin, R. S. Laramée, R. Peikert, F. H. Post, and M. Chen. Over Two Decades of Integration-Based, Geometric Flow Visualization. *Computer Graphics Forum*, 29(6):1807–1829, 2010.
- R. F. de Mello and A. P. Moacir. *A Practical Approach on the Statistical Learning Theory*, volume 1. Springer, New York, United States, 2018.
- R. F. de Mello and L. T. Yang. Prediction of dynamical, nonlinear, and unstable process behavior. *The Journal of Supercomputing*, 49(1):22–41, 2009.

- R. F. de Mello, Y. Vaz, C. H. Grossi, and A. Bifet. On learning guarantees to unsupervised concept drift detection on data streams. *Expert Systems with Applications*, 117:90–102, 2019.
- R. F. de Mello. Improving the performance and accuracy of time series modeling based on autonomic computing systems. *Journal of Ambient Intelligence and Humanized Computing*, 2(1):11–33, 2011.
- D. Mena-Torres and J. S. Aguilar-Ruiz. A Similarity-based Approach for Data Stream Classification. *Expert Systems with Applications*, 41(9):4224–4234, 2014.
- B. Mendelson. *Introduction to Topology*. Dover Books on Mathematics. Dover Publications, New York, United States, 1975.
- Q. Meng and Y. Peng. A new local linear prediction model for chaotic time series. *Physics Letters A*, 370(5-6):465–470, 2007.
- M. A. Metzger. Applications of Nonlinear Dynamical Systems Theory in Developmental Psychology: Motor and Cognitive Development. *Nonlinear Dynamics, Psychology, and Life Sciences*, 1(1):55–68, 1997.
- S. Meyn and R. L. Tweedie. *Markov Chains and Stochastic Stability*. Cambridge University Press, Cambridge, United States, 2nd edition, 2009.
- D. M. Mount. ANN: Approximate Nearest Neighbors, 2010. URL cs.umd.edu/~mount/ANN/. Last access on 2019-11-05.
- A. Mucherino, P. J. Papajorgji, and P. M. Pardalos. *k-Nearest Neighbor Classification*. Springer, New York, United States, 2009.
- M. Müller. *Dynamic Time Warping*. Springer, Berlin-Heidelberg, Germany, 2007.
- T. M. Munzner. *Visualization Analysis and Design*. CRC Press/-Taylor & Francis Group, Boca Raton, United States, 2014.
- S. Muthukrishnan. *Data streams : algorithms and applications*. Now Publishers, Boston, United States, 2005.
- C. Myers, A. Singer, F. Shin, and E. Church. Modeling chaotic systems with hidden Markov models. In *International Conference on Acoustics, Speech, and Signal Processing*, volume 4, pages 565–568, San Francisco, United States, 1992. IEEE Press.
- M. E. J. Newman. The structure and function of complex networks. *Society for Industrial and Applied Mathematics Review*, 45:167–256, 2003.

- M. N. Nguyen, X. L. Li, and S. K. Ng. Positive Unlabeled Learning for Time Series Classification. In *Proceedings of the 22nd International Joint Conference on Artificial Intelligence-Volume Two*, pages 1421–1426, Barcelona, Spain, 2011. AAAI Press.
- K. Nigam, A. K. McCallum, S. Thrun, and T. Mitchell. Text Classification from Labeled and Unlabeled Documents Using EM. *Machine Learning*, 39:103–134, 2000.
- L. Nonato and M. Aupetit. Multidimensional Projection for Visual Analytics: Linking Techniques with Distortions, Tasks, and Layout Enrichment. *Transactions on Visualization and Computer Graphics*, 2018.
- L. Nováková and O. Štěpánková. RadViz and Identification of Clusters in Multidimensional Data. In *Proceedings of Information Visualisation*, pages 104–109, Washington, United States, 2009. IEEE Press.
- L. Nováková and O. Štěpánková. Visualization of trends using RadViz. *Journal of Intelligent Information Systems*, 37(3), 2011.
- J. Ono, F. Sikansi, D. C. Correa, F. V. Paulovich, A. Paiva, and L. G. Nonato. Concentric RadViz: Visual Exploration of Multi-task Classification. In *Proceedings of the Conference on Graphics, Patterns and Images*, pages 165–172, Salvador, Brazil, 2015. IEEE Press.
- M. Otani and A. J. Jones. Guiding Chaotic Orbits. Technical report, Imperial College of Science Technology and Medicine, London, United Kingdom, 1997.
- E. Ott. *Chaos in Dynamical Systems*. Cambridge University Press, Cambridge, United Kingdom/United States, 2002.
- N. Packard, J. Crutchfield, J. Farmer, and R. Shaw. Geometry from a Time Series. *Physical Review Letters*, 45(9):712–716, 1980.
- E. S. Page. Continuous Inspection Schemes. *Biometrika*, 41:100–115, 1954.
- L. d. C. Pagliosa and R. F. de Mello. Applying a kernel function on time-dependent data to provide supervised-learning guarantees. *Expert Systems with Applications*, 71:216–229, 2017.
- L. d. C. Pagliosa and R. F. de Mello. Semi-supervised time series classification on positive and unlabeled problems using cross-recurrence quantification analysis. *Pattern Recognition*, 80:53–63, 2018.

- L. d. C. Pagliosa and A. C. Telea. RadViz++: Improvements on Radial-Based Visualizations. *Informatics*, 6(2), 2019.
- L. d. C. Pagliosa, P. Pagliosa, and L. Nonato. Understanding Attribute Variability in Multidimensional Projections. In *Technical Papers of the 29th Conference on Graphics, Patterns and Images*, pages 297–304, São Paulo, Brazil, 2016. IEEE Press.
- L. A. Pereira and R. da Silva Torres. Semi-supervised transfer subspace for domain adaptation. *Pattern Recognition*, 75:235–249, 2018.
- F. H. Post, B. Vrolijk, H. Hauser, R. S. Laramée, and H. Doleisch. The State of the Art in Flow Visualisation: Feature Extraction and Tracking. *Computer Graphics Forum*, 22(4):775–792, 2003.
- O. Postolache, J. M. Dias Pereira, and P. Girão. Application of RBF Neural Network in ADC Resolution Enhancement. 4:89–92, 1999.
- R Development Core Team. R: A Language and Environment for Statistical Computing, 2008. URL [R-project.org](https://www.R-project.org). Last access on 2019-11-05.
- S. Raschka. Naive bayes and text classification I-introduction and theory. *Computing Research Repository*, 2014.
- C. E. Rasmussen and Z. Ghahramani. Occam’s razor. In *Advances in Neural Information Processing Systems 13*, pages 294–300, Cambridge, United States, 2001. MIT Press.
- C. A. Ratanamahatana and E. Keogh. Everything you know about Dynamic Time Warping is Wrong. 2004.
- C. A. Ratanamahatana and D. Wanichsan. *Stopping Criterion Selection for Efficient Semi-supervised Time Series Classification*. Springer, Berlin-Heidelberg, Germany, 2008.
- P. E. Rauber, S. G. Fadel, A. X. Falcão, and A. C. Telea. Visualizing the Hidden Activity of Artificial Neural Networks. *Transactions on Visualization and Computer Graphics*, 23(1):101–110, 2017.
- B. Ravindra and P. Hagedorn. Invariants of chaotic attractor in a nonlinearly damped system. *Journal of applied mechanics*, 65, 1998.
- D. Reniers, L. Voinea, O. Ersoy, and A. Telea. The Solid* Toolset for Software Visual Analytics of Program Structure and Metrics Comprehension: From Research Prototype to Product. *Science of Computer Programming*, 79:224–240, 2014.

- R. A. Rios. *Improving time series modeling by decomposing and analysing stochastic and deterministic influences*. PhD thesis, Instituto de Ciências Matemáticas e de Computação, Universidade de São Paulo, 2013.
- R. A. Rios and R. F. de Mello. Improving time series modeling by decomposing and analyzing stochastic and deterministic influences. *Signal Processing*, 93(11):3001–3013, 2013.
- R. A. Rios, L. Parrott, H. Lange, and R. F. de Mello. Estimating determinism rates to detect patterns in geospatial datasets. *Remote Sensing of Environment*, 156:11–20, 2015.
- J. Rissanen. Modeling by Shortest Data Description. *Automatica*, 14(5):465–471, 1978.
- E. S. Ristad, P. N. Yianilos, and S. Member. Learning string edit distance. *Transactions on Pattern Analysis and Machine Intelligence*, 20:522–532, 1998.
- A. Robledo and L. Moyano. Dynamical properties of superstable attractors in the logistic map. 2007.
- L. Rokach and O. Maimon. *Clustering Methods*. Springer, Boston, United States, 2005.
- M. T. Rosenstein, J. J. Collins, and C. J. D. Luca. A practical method for calculating largest Lyapunov exponents from small data sets. *Physica D: Nonlinear Phenomena*, 65(1):117–134, 1993.
- M. T. Rosenstein, J. J. Collins, and C. J. D. Luca. Reconstruction expansion as a geometry-based framework for choosing proper delay times. *Physica D: Nonlinear Phenomena*, 73(1):82–98, 1994.
- O. Rössler. An equation for continuous chaos. *Physics Letters A*, 57(5):397–398, 1976. ISSN 0375-9601.
- R. Y. Rubinstein and D. P. Kroese. *Simulation and the Monte Carlo Method (Wiley Series in Probability and Statistics)*. Wiley, Newark, United States, 2 edition, 2007.
- M. Rubio-Sánchez, A. Sanchez, and D. J. Lehmann. Adaptable Radial Axes Plots for Improved Multivariate Data Visualization. *Computer Graphics Forum*, 36(3):389–399, 2017.
- M. Rubio-Sanchez, L. Raya, F. Díaz, and A. Sanchez. A comparative study between RadViz and Star Coordinates. *Transactions on Visualization and Computer Graphics*, 22(1):619–628, 2015.

- M. Sano and Y. Sawada. Measurement of the Lyapunov Spectrum from a Chaotic Time Series. *Physical Review Letters*, 55:1082–1085, 1985.
- W. Scheffler. *Statistics: concepts and applications*. Benjamin-Cummings Publishing Company, Menlo Park, United States, 1988.
- T. Schreiber and A. Schmitz. Improved Surrogate Data for Nonlinearity Tests. *Physical Review Letters*, 77:635–638, 1996.
- J. Serrà, X. Serra, and R. G. Andrzejak. Cross recurrence quantification for cover song identification. *New Journal of Physics*, 11, 2009.
- J. Shargo, G. Grinstein, and K. A. Marx. Vectorized Radviz and Its Application to Multiple Cluster Datasets. *Transactions on Visualization and Computer Graphics*, 14(6):1444–1427, 2008.
- R. Sheikhpour, M. A. Sarram, S. Gharaghani, and M. A. Z. Chahooki. A Survey on semi-supervised feature selection methods. *Pattern Recognition*, 64:141–158, 2017.
- R. R. O. d. Silva, P. E. Rauber, R. M. Martins, R. Minghim, and A. Telea. Attribute-based Visual Explanation of Multidimensional Projections. In *Proceedings of the International EuroVis Workshop on Visual Analytics*, Cagliari, Italy, 2015. Eurographics.
- M. Sperber. Quadtree and Octree. In *Encyclopedia of GIS*, pages 1695–1700. Springer International Publishing, Cham, Switzerland, 2017.
- J. Stark. Delay Embeddings for Forced Systems. I. Deterministic Forcing. *Journal of Nonlinear Science*, 9(3):255–332, 1999.
- A. Stefánsson, N. Končar, and A. J. Jones. A note on the Gamma test. *Neural Computing & Applications*, 5(3):131–133, 1997.
- F. Takens. Detecting strange attractors in turbulence. In *Dynamical systems and turbulence*, pages 366–381. Springer, Berlin-Heidelberg, Germany, 1981.
- A. Tamma and B. Lachman Khubchandani. Accurate determination of time delay and embedding dimension for state space reconstruction from a scalar time series. *ArXiv e-prints*, 2016.
- S. C. Tan, K. M. Ting, and T. F. Liu. Fast anomaly detection for streaming data. In *Proceedings of the 22nd International Joint Conference on Artificial Intelligence*, pages 1511–1516, Barcelona, Spain, 2011. AAAI Press.

- E. Tejada, R. Minghim, and L. G. Nonato. On Improved Projection Techniques to Support Visual Exploration of Multidimensional Data Sets. *Information Visualization*, 2(4):218–231, 2003.
- A. Telea. *Data Visualization: Principles and Practice*. Taylor & Francis, Boca Raton, United States, 2nd edition, 2014.
- J. Theiler. Efficient algorithm for estimating the correlation dimension from a set of discrete points. *Physical Review A*, 36: 4456–4462, 1987.
- J. Theiler. Estimating fractal dimension. *Journal of the Optical Society of America*, 7(6):1055–1073, 1990.
- J. Theiler, S. Eubank, A. Longtin, B. Galdrikian, and J. D. Farmer. Testing for nonlinearity in time series: the method of surrogate data. *Physica D: Nonlinear Phenomena*, 58(1):77–94, 1992.
- R. Tibshirani. Regression Shrinkage and Selection Via the Lasso. *Journal of the Royal Statistical Society, Series B*, 58:267–288, 1996.
- L. Tu. *An Introduction to Manifolds*. Universitext. Springer New York, New York, United States, 2010.
- W. Tucker. The Lorenz attractor exists. *Comptes Rendus de l’Académie des Sciences-Series I-Mathematics*, 328(12):1197–1202, 1999.
- A. Tung, X. Xu, and B. C. Ooi. CURLER: Finding and visualizing nonlinear correlation clusters. In *Proceedings of the International Conference on Management of Data*, pages 233–245, Baltimore, United States, 2005. ACM Press.
- R. M. M. Vallim and R. F. De Mello. Proposal of a New Stability Concept to Detect Changes in Unsupervised Data Streams. *Expert Systems with Applications*, 41(16):7350–7360, 2014.
- T. Van Leeuwen and C. Jewitt. *The Handbook of Visual Analysis*. SAGE Publications, London/Thousand Oaks, United Kingdom/United States, 2000.
- V. N. Vapnik. *Statistical Learning Theory*. Wiley, New York, United States, 1 edition, 1998.
- A. Waibel, T. Hanazawa, G. Hinton, K. Shikano, and K. J. Lang. Phoneme Recognition Using Time-delay Neural Networks. In *Readings in Speech Recognition*, pages 393–404. Morgan Kaufmann Publishers, San Francisco, United States, 1990.

- L. Wang, J. Zhang, and H. Li. An Improved Genetic Algorithm for TSP. In *International Conference on Machine Learning and Cybernetics*, volume 2, pages 925–928, Hong Kong, China, 2007. IEEE Press.
- S. Wang, L. L. Minku, D. Ghezzi, D. Caltabiano, P. Tino, and X. Yao. Concept drift detection for online class imbalance learning. In *The 2013 International Joint Conference on Neural Networks*, pages 1–10, Dallas, United States, 2013. IEEE Press.
- S. Wang, J. Lu, X. Gu, H. Du, and J. Yang. Semi-supervised linear discriminant analysis for dimension reduction and classification. *Pattern Recognition*, 57:179–189, 2016.
- M. Ward, G. Grinstein, and D. Keim. *Interactive Data Visualization: Foundations, Techniques, and Applications*. A. K. Peters, Natick, United States, 2010.
- M. Wattenberg, F. Viégas, and I. Johnson. How to Use t-SNE Effectively. *Distill*, 2016.
- L. Wei and E. Keogh. Semi-supervised Time Series Classification. In *Proceedings of the 12th International Conference on Knowledge Discovery and Data Mining*, pages 748–753, New York, United States, 2006. ACM Press.
- H. Whitney. Differentiable manifolds. *Annals of Mathematics. Second Series*, 37(3):645–680, 1936.
- A. Wong, L. Wu, P. B. Gibbons, and C. Faloutsos. Fast estimation of fractal dimension and correlation integral on stream data. *Information Processing Letters*, 93(2):91–97, 2005.
- P. C. Wong and R. D. Bergeron. 30 Years of Multidimensional Multivariate Visualization. In *Scientific Visualization, Overviews, Methodologies, and Techniques*, pages 3–33, Washington, United States, 1997. IEEE Press.
- H. Wu and S. Prasad. Semi-supervised dimensionality reduction of hyperspectral imagery using pseudo-labels. *Pattern Recognition*, 74:212–224, 2018.
- H. L. Yap and C. Rozell. Stable Takens’ Embeddings for Linear Dynamical Systems. *Transactions on Signal Processing*, 59(10):4781–4794, 2011.
- H. L. Yap, A. Eftekhar, M. B. Wakin, and C. J. Rozell. A first analysis of the stability of Takens’ embedding. In *Global Conference on Signal and Information Processing*, pages 404–408, Atlanta, United States, 2014. IEEE Press.

- G. G. Zanabria, L. G. Nonato, and E. Gomez-Nieto. iStar (i*): An interactive star coordinates approach for high-dimensional data exploratio. *Computers & Graphics*, 60:107–118, 2016.
- M. D. Zeiler and R. Fergus. Visualizing and Understanding Convolutional Networks. In *Computer Vision-European Conference on Computer Vision*, pages 818–833, Cham, Switzerland, 2014. Springer International Publishing.
- S. Zhong. Semi-Supervised Sequence Classification with HMMs. In *The Florida AI Research Society Conference*, pages 568–574, Plato Alto, United States, 2004. AAAI Press.
- F. Zhou, W. Huang, J. Li, Y. Huang, Y. Shi, and Y. Zhao. Extending Dimensions in Radviz based on mean shift. In *Proceedings of Pacific Visualization Symposium*, pages 111–115, Hangzhou, China, 2015. IEEE Press.
- X. Zhu, A. B. Goldberg, R. Brachman, and T. Dietterich. *Introduction to Semi-Supervised Learning*. Morgan and Claypool Publishers, San Rafael, United States, 2009.